




NO. 947A TIERED FOUNTAIN Cast Stone 42", 60", 84" Bowls Any finial of proportionate size may be used. Pool not included.

170




No. 947 is a bowl and pedestal type fountain. The 947 series is the most rugged of all the cast stone fountains. It has many features which make it particularly desirable.

It is very easily assembled in the field, it is very strong and it is absolutely frost-proof. Freezing will not hurt this fountain. Just shut it off in the winter, drain it and let the snow and ice accumulate. The bowls are available from 18" to 84"diameter. This fountain comes equipped with a metal armature which uses recirculated water.




NO. 947 FOUNTAIN BOWLS & PEDESTALS Cast Stone, available in five sizes: Bowls - 18"w, 30"w, 42"w, 60"w, & 84"w Pedestals - 9"h, 12"h, 18"h, 24"h, 36" Each may be purchased separately.





NO. 1075 FOUNTAIN




© AMENDED 2024 KENNETH LYNCH & SONS · OXFORD, CT

look like pedestal No. 1103.

172

KENNETH LYNCH & SONS

FOUNTAINS





NO. 1144 FOUNTAIN & POOL 40"h Pool 62"w The pool can be used separately.



NO. 1055 FOUNTAIN & POOL

Pool 96"diameter X 10"h

Block in center is 10"h. Large shell is 30"diameter.

Cast Stone

Fountain 64"h

NO. 2442 JUG BOY Cast Stone, 20 1/2"h This is an authentic and accurate reproduction. It can be used in an arrangement as illustrated with a recirculating pump. This particular pool is not available. We recommend using a Lead pool (see Borders Section) or a Cast Stone pool (See Pools and Curbings).


Figure available in Lead or Bronze.

NUED DISCONDUCTOR

NO. 1143 STONE FOUNTAIN Cast Stone 52"h X 62"w Any other figures can be substituted or the monolithic pool (No. 1143) can be used separately



NO. 1160 FOUNTAIN Cast Stone, 78"h Pool is 10"h X 96"diameter Figures are 31"h, 14"diameter base and 11"diameter top.





NO. 4860 FOUNTAIN Cast Stone 25" diameter 72"h, top bowl 20"diameter, bottom bowl 48"diameter, and the base has a 32"diameter. Self contained or to overflow into a pool. No. 1783 Acorn is also a suitable finial.

176

NO. 1248 FOUNTAIN, SELF CONTAINED

Cast Stone 48"h X 40"diameter Pedestal 19"h Base 27"diameter 17" diameter This fountain can be made self contained or it can drip into a pool. All components may be purchased separately.





NO. 4845 FOUNTAIN WITH NO. 947 SHELL AND NO. 2227A LEAD PINEAPPLE Cast Stone, 12'h X 5'w Center pedestal and one of the No.947 series bowl

with a special pedestal for the pineapple. Size may vary. Can be used with water jets.



NO. 4538 MUSICIANS FOUNTAIN Cast Stone fountain with Lead figures and made with many of our numerous variety of components.

KENNETH LYNCH & SONS CASCADE FOUNTAINS

NO. 605 BOWL

Lead Available in four sizes: 18", 24", 36", & 48" Can be made into cascading self contained, recirculating pool fountain. As little as two bowls and as many as four bowls can be used. All hand-hammered and shaped. Available in Bronze.





NO. 669 ITALIAN PEASANT FOUNTAIN Cast Stone 30 1/2"h X 24 1/2"w X 30"d A replica of a fountain found in Italy where peasants

cooled their feet and dogs had a drink. This is a self contained recirculating fountain

> **NO. 669A CASCADE FOUNTAIN** Cast Stone Each fountain section is 24 1/2"w X 30"d X 30 1/2"h. Using four recirculating fountains with a Lead or Bronze rosette from the upper tier makes a beautiful addition to a garden or courtyard.

NO. 1328 CASCADE FOUNTAIN Cast Stone Can be made into self contained recirculating fountain





NO. 4723 FOUNTAIN USING NO. 2470 LEAD FISH & NO. 507 STONE PEDESTAL Cast Stone/Lead

NO. 1239 FOUNTAIN WITH FROG & LILY PADS Cast Stone with Lead or Bronze leaves and frog Under the frog is the pump equipment. A feature for lights can be added. The pool is made from our No. 275 curbing and can be in any size and shape.

NO. 1345 FOUNTAIN Cast Stone Fountain with No.946 Bowl and No. 972 Otter Girl.



NO. 4757 FOUNTAIN WITH NO. 1075 CENTER & NO. 275 CURBING Cast Stone, 16' X 12' Stone fountain arrangement using center fountain No. 1075 with pool curbing No. 275.

178



NO. 4763 FOUNTAIN Cast Stone Pool is 96" diameter, and shell is 26"diameter. Pool uses No. 275 curbing. Column is No. 327 or No. 260 and the shell is No. 897. Figure at top is No. 2889. The other figures are No. 968 with Frog and No. 156. This is a suggested, very busy, fountain arrangement.

Kenneth Lynch & Sons

FOUNTAINS



Cast Stone, 72" diameter shell, figure is No. 677. Spills into pool below. Other figures can be used. Choose your own combination. Inquire.

NO. 4724 FOUNTAIN WITH LEAD "MADONNA" Cast Stone

Uses No. 946 bowl 48" in diameter with Madonna No. 2893 30"h in lead. The pool is 8' in diameter and is made of our No. 275 curbing.





NO. 4959 PUMP CASE AND FOUNTAIN ARRANGEMENT Cast Stone

17" diameter X 16"h This pump case acts as a pedestal for almost any statue or other ornamental piece. It has four lead shells on the outside, all of which are controlled individually with small valves. The recirculating water is pumped directly to these shells.

NO. 4728 FOUNTAIN

Cast Stone Lively stone fountain using No. 946B fountain complete with pool. This illustration is a suggested composition. Please inquire.



NO. 4762 FOUNTAIN WITH NO. 1034 FIGURE

Uses Figure No. 1034 and Pool shape No. 1143.

The base under the figure is No. 1092.

& NO. 1143 POOL SHAPE

96"w X 72"projection

Cast Stone

180

NO. 4848 FOUNTAIN WITH NO. 963 FIGURE & NO. 2050 SHELL Cast Stone, 72"w X 42"projection Uses No. 275 curbing.






NO. 4742 FOUNTAIN WITH NO. 1065 BIRDBATH & NO. 275 CURBING Cast Stone No. 275 curbing, 96"diameter X 10"h


NO. 4741 FOUNTAIN WITH NO. 1144 LION Cast Stone 84"w X 42"projection, with figure No. 1144 the total height is 54" A wider pool can be furnished.



NO. 4760 FOUNTAIN WITH NO. 964 "GAZER" FIGURE Cast Stone

Fountain composed of No. 275 curbing 60"diameter, and the No.12 pumpcase sitting directly in the water. A pump can be installed and the water jets fasten to the side of the pumpcase to liven up this fountain.






Uses No. 275 curbing with center pedestal and one of the 947 series bowl with a special pedestal for the pineapple. Size may vary. Lights can be used as well as other jets.



NO. 4849 FOUNTAIN WITH NO. 1076 PEDESTAL & LEAF Cast Stone, 12' diameter Composed of our No. 275 curbing with a No. 1076 pedestal

and a special copper leaf arrangement at the top. The pump case which is in the water, is designed to receive the pump and activate the fountain.

NO. 4850 FOUNTAIN WITH TULIP SPRAY Cast Stone, Uses No. 275 curbing with center pedestal and No. 4850A Tulip Spray. The pump case which is in the water, is designed to receive the pump and activate the fountain.



FOUNTAIN WITH CAST **STONE CURBING**

96"diameter X 36"h Composed of No. 275 pool curbing with No. 4076 floral spray arrangement mounted on a lead pump case. Designed to go directly on the customers concrete slab.



NO. 4858 POOL Cast Stone 96"l X 72"w X 63"h Fountain with No. 1034 Figure and No. 1092 Pedestal and uses No. 275 Curbing.




NO. 1146 FOUNTAIN WITH NO. 4943 DOLPHIN Cast Stone 53"h X 32"w, Base 22"h X 18" X 18" Completely self contained fountain. All parts may be purchased as separate components.



NO. 4821 FOUNTAIN WITH NO. 3 DOLPHIN & NO. 2050 SHELL Cast Stone Fountain 48"h Bowl 13"h, Dolphin 21 1/2"h Fountain components may be purchased separately.

NO. 699A SHELL, PEDESTAL & DOLPHIN FOUNTAIN Cast Stone Shell No. 131 26"diameter Dolphin 20"h, Base is 14"h X 12"diameter There is a pump receptacle under the dolphin allowing this fountain to be self con-



NO. 695A CHILD FIGURE



NO. 1089 FOUNTAIN Cast Stone, 76"h Bowl 14"h X 60"l X 32"projection Pedestal 34"h, Figures 28"h X 41"l X 9"d All pieces may be purchased as separate components.



NO. 695 FOUNTAIN WITH NO. 695A CHILD FIGURE Cast Stone Overall dimensions are: 26" diameter X 30"h. Other figures may be substituted. NO. 695A CHILD FIGURE Cast Stone, 14 3/4"h 7" diameter base.



NO. 1293 SHELL FOUNTAIN Cast Stone Fountain arrangement is 42"<u>w X 48"h.</u> 21"H x 21"W x 18" Projection Can have recirculating pump.



NO. 1110 SHELL ON PEDESTAL Cast Stone 60" diameter X 18"h Base is 28"sq. X 24"h





NO. 1005 3-DOLPHINS ON SHELL FOUNTAIN Cast Stone, 16 1/2"h NO.1006 SHELL Cast Stone 29"w X 24" deep X 13"h Base 5"h X 11"w



NO. 1255 FOUNTAIN WITH BRONZE & COPPER RAINTREE 72"h X 40"w




NO. 2050 BOY ON SHELL FOUNTAIN 43" Cast Stone 34"h (including base), 36" diameter Complete fountain unit with pump included. More elevation can be gained by selecting any one of our many blocks or some similar arrangement. Base 7 1/2"H x 15"sq



NO. 1241 SHELL, OTTER GIRL & PEDESTAL

Cast Stone 64"h X 26"w Shell 24" X 26" with pump pocket No. 972 Otter Girl 21"h No. 130 Pedestal 30"h This fountain composition, using Geraldine Lewis - Amendola's Otter Girl, has two shells in her hands which drip into the larger shell at the bottom. You will find the Otter Girl among the other statuary in this catalog. Otter Girl is available in two sizes.




NO. 921 FOUNTAIN URN USING NO. 1122 FINIAL Cast Stone 52"h X 24"diameter Base 20" X 20" Piped five ways with bronze armature and copper tubing for water. Pedestal & pool not included.


©AMENDED 2024 KENNETH LYNCH & SONS · OXFORD, CT

KENNETH LYNCH & SONS


URN FOUNTAINS













NO. 932 FOUNTAIN URN FINIAL

33"h X 19"diameter Available in Lead or Bronze Piped with a single jet with bronze armature and copper tubing for water .. Pedestal & pool not included.








NO. 2475 DUCK & DUCKLINGS FOUNTAIN USING NO. 1503 BORDER FOR POOL Lead, 26"h Pool sold separately. Available in Bronze.



NO. 2884A "JUDY WITH FLUTE" FOUNTAIN Cast Stone pedestal and Lead figure, 60"h Figure and base only. Pool is sold separately. Available in Bronze.



NO. 4609 FROG POOL FOUNTAIN

Lead, 72"diameter Fountain assembled from Lead parts. The crane pedestal is made of lead, as are the other parts of the fountain. Completely self-contained with pump. Available in Bronze.



NO. 4610 POOL & FOUNTAIN Lead, 72"diameter X 70"h Available in Bronze.



NO. 2949 PINEAPPLE FOUNTAIN WITH BRONZE LEAVES Lead, 46"h with base, 42"w pool Designed by Mr. William Maler. Very sophisticated use of forged bronze leaves with a verde antique finish on them. Available in Bronze.




Note: Piped with spray ring at lower leaf section or can be made to spray from the top of the pineapple.



NO. 4537 "MUSICIANS" FOUNTAIN Lead, 72"h X 72"diameter. The little musicians at the top are trying very hard to outdo their brothers at the bottom. The larger figures

are standing on a stone base which is used not only as a pedestal but also as a pump case for the recirculating pump. Not only do all figures have water piped, but the upper shell overflows as well. Available in Bronze.




NO. 4733 FOUNTAIN WITH LEAD PINEAPPLE & NO. 275 STONE CURBING Fountain is 46"h

Pool is 72"diameter uses No. 275 Cast Stone curbing Leaves of pineapple are Copper. Pineapple and pump case are Lead. *Note: Piped with spray ring or from the top of pineapple. Can also be made to spray from the top of the leaves.*



NO. 2919 "JUDY WITH FLUTE" FOUNTAIN Lead 87"diameter, 42"h figure Available in Bronze.



KENNETH LYNCH & SONS

FOUNTAINS



NO. 4751 FOUNTAIN

Lead, 36" X36"

Completely hand wrought. The upper bowl has a small jet raising water directly from the center and the leaf-like design is formed so that four spills go into the pool below. This composition is made of our No. 4545 top bowl ornament and a No.1502 border design. Available in Bronze.



NO. 4756 FOUNTAIN WITH FIGURE Lead, 72"h

Lead fountain using Figure No. 2407 which is 30 1/2"h with Lead bottom bowl No. 2106A, 25"diameter. The cistern is 42" across the flat side and is 24"h. Available in Bronze.



NO. 4745 FOUNTAIN WITH NO. 889 CHILD WITH SHELL

Lead and Cast Stone combination Overall size is 51 1/2"h X 84"w X 66"projection. Figure is 36"h, Pool 10"h No. 4745 Fountain arrangement, using No. 889 Stone child with shell and No. 1278 Cast Stone pedestal modified as a pumpcase, in Lead pool made of No. 2360 Lead border. Pump is included.



NO. 93 FOUNTAIN & PIPING BOY NO. 2453 Cast Stone shell with Lead figure Shell 13 1/2"h X 28 1/2"diameter. Shown on No.91 Pedestal. 24" H NO. 906 PIPING BOY ON NO. 2102 SHELL FOUNTAIN Lead, 40"h No. 2102 Shell 21"w Self contained unit, water recirculates from the shell with its own built in electric pump. We also furnish this figure with a similar pump arrangement on shell No. 2007 which gives a greater width; No.2007 also available in 28"w and 36"w. Available in Bronze.



NO. 2000B PAN ON LEAD ROCK Lead 13"h & 17"h Available in Bronze.

NO. 2000 PAN WITH PIPES ON SHELL Lead 17 1/2"h X 15"diameter Shell can be piped. Available in Bronze. NO. 2000A PAN WITH PIPES ON SHELL

21"h X 21"diameter Shell can be piped. Available in Bronze.

Lead



NO. 903 DANCING GIRL FOUNTAIN Lead, 35"h X 23"diameter Should be used in pool. Available in Bronze.



NO. 2239 DANCING GIRL Lead, 32"h No. 2445 figure with 21"diameter Lead shell and Lead base.




NO. 4750 FOUNTAIN WITH FIGURE NO. 2103 Lead 22"h with a No. 2402 bowl, 21" diameter. The whole device recirculates from the cistern like pumpcase.

NO. 896 DANCING GIRL FIGURE WITH SHELL AND BIRD Lead, 38"h Piped in Copper with two water jets at the hinge of the shell. Available in Bronze. Base 5"H x 11 1/2" diameter

2102



NO. 4554 CATTAIL FOUNTAIN Bronze, 30"h Pump can be located in base. Special sizes to order.





NO. 2208A FIGURE Lead, 25"h Available in Bronze.



NO. 1664 BOY WITH TRAY AND JET Lead, 41" high May be furnished without jet. Available in Bronze.



NO. 2215 DOLPHIN BASE ON CAST STONE BASE Lead, 24"h The Dolphin base is set on a

12"h tri-form stone base. Available in Bronze.



NO. 2843 FOUR FROGS FOUNTAIN Lead 16"h X 23"diameter Available in Bronze.



NO. 2902A FROG FOUNTAIN ON SWAN BASE Lead 31"h X 30"diameter Available in Bronze.



NO. 4099 FLOWER SPRAY WITH NO. 12 PUMPCASE Copper Flowers on Cast Stone pumpcase. 18" H x 18" diameter overall



NO. 2021 FIGURE WITH SHELL Lead, 25"h Can be piped. Available in Bronze. Base 10 1/2" x 8"



NO. 2043 CHILD WITH FISH FOUNTAIN Lead, 42"h Base is No. 2215, 36"h on Cast Stone triform. Available in Bronze.

NO. 1249 FOUNTAIN WITH NO. 2889 LEAD FIGURE Cast Stone and Lead 26"h X 26"diameter

purchased separately.

Can be piped for water to flow from the pipes. A self-contained recirculating pump can be used. The figure, available in Lead only, can be



Lead Using shell No. 2007 (28" or 36"diameter) or No. 2102, (26"diameter) with figure No. 1679. Other figures may be substituted. Two frogs can be at the edge of the shell.

NO. 2921 CHILD ON SHELL FOUNTAIN

Available in Bronze.



NO. 4852 FOUNTAIN WITH NO. 2050 SHELL, NO. 103 FIGURE, NO. 92 PEDESTAL Cast Stone Pedestal 12" X 12", figure 35"h, shell 36"diameter

NO. 4729 PIPING BOY FOUNTAIN ENTERTAINING HIS FRIENDS, THE KING FROGS.

Lead. 68"H Approximate overall height is 54". This is a conceptual illustration. The octagonal Cast Stone base is 26" high and 261/2" across flats and acts as pumpcase. Shop drawing on request. Available in Bronze. NO. 4749 FOUNTAIN WITH"JUDY & FLUTE" & KING FROGS Lead, 54"h Available in Bronze.





FOUNTAIN AT THE CHARLESTOWN RACE TRACK in Charlestown, West Virginia Architectural Concepts designed for Warfel Construction.




NO. 622 LOTUS LEAF JET/SHELL Lead 4 1/4" diameter Available in Bronze.


NO. 2935 RAIN TREE FLOOR FOUNTAIN Lead, 81"h X 56"w Tree is made of Copper with green patina. Recirculating pump is located in the base of the tree. Available in Bronze.



WALL FOUNTAINS



NO. 2932 VINE FLOOR FOUNTAIN Lead, 72"h X 57"w Designed to sit on floor. Water is recirculated and spilled down over the vines into bottom pool. Available in Bronze.



NO. 2933 FLOOR FOUNTAIN Lead, 69"h X 41"w Suitable to receive any piece of statuary on its corbel. Recirculating pump in pool. Available in Bronze.



NO. 2934 WILLOW TREE FLOOR FOUNTAIN Lead, 77"h X 57"w The willow tree is made of green patinated Copper. Recirculating pump is located in the base of the pool. Available in Bronze.

202



NO. 2936 RAIN TREE FLOOR FOUNTAIN Lead, 81"h X 56"w Tree is made of green patinated Copper. Recirculating pump is located in the base of the pool. Available in Bronze.

WALL FOUNTAINS



NO. 894 FOUNTAIN WITH LEAD PIPING BOY Stone/Lead

Piping Boy No.2453 on a 30" pedestal with a pump case at the bottom. The pipes are piped to spill into pool below. The wrought iron trellis is 84"h. The pool shown is reference purposes only. Choose your pool from the Pool Section of this Catalog.



NO. 4752 CORNER FOUNTAIN Lead 48" X 48"across front, No. 2360 border is 6"h Specially designed to fit in a corner. Available in Bronze.



NO. 895 FOUNTAIN WITH LEAD FIGURE NO. 896 Stone/Lead

Dancing Girl No.896 on a 30" pedestal with a pumpcase at the bottom. The shell is piped to spill into pool below. The wrought iron trellis is 84"h. The pool shown is for reference purposes only. Choose your pool from the Pool Section of this Catalog.



NO. 4767 CORNER FOUNTAIN WITH DOLPHINS Lead, 48"h X48" across front The two highly decorative dolphins spouting water are from a special French collection. Available in Bronze.

WALL FOUNTAINS



NO. 2950 LION FLOOR FOUNTAIN Lead, 67"h X 43"w Recirculating pump in pool. Available in Bronze.



NO. 4549 FLOOR FOUNTAIN Lead, 60"h X 56"w Beautiful detail. Has been produced with the dolphin mask shown or choose your own. Available in Bronze.



NO. 4744 FLOOR FOUNTAIN WITH LEAD WALL PLATE Cast Stone, 72"h X 72"w Lead Lion Mask No. 2145. This is a very lively fountain. Available in Bronze.

204



NO. 2912 FOUNTAIN BOWL Lead, 60"l Gift of Mr. Keith Funston to Trinity College. Available in Bronze.

INSTALLATION OF A LEAD WALL FOUNTAIN

1. Install plastic cord seal into 1/2" threaded fitting.

2. Cut plug off of electric wire to pump and thread through the plastic cord seal. Leave just enough electric cord in fountain to conveniently place the pump and also to move it for cleaning. Tighten the cord seal just enough to seal it against the cord.

3. Make a paper template of the back of the backplate including the bolt holes and piping connections. Use this to mark the wall where the fountain is to be placed. Be sure that there is structure in the wall to mount the fountain to. It is up to you to determine that the structure is adequate to carry the load.

4. Set yourself up so that you can simultaneously make the electric and water connections. It would be ideal to be able to make the electrical connection on the other side of the wall so that if the pump ever dies you will be able to replace it without removing the fountain from the wall. Then mount the fountain to the wall using only the screws provided. Note: it is more important to level the shell or bowl than it is to level the back of the fountain. With lead there is a certain amount of adjustment you can do to the bowl after installation but you want to start as level as possible.

5. Assemble the pump in the bowl using the tubing, etc. provided. Fill with water.

6. Adjust the water flow.

7. Stand back and look at the fountain. Look at the bowl. If it is lead andsagging or misshapen in any way, use a rubber mallet to carefully bump it the way you want it to go. Don't get overly ambitious here! You could end up with more problems than you want.

8. Install the rosettes on the mounting screws. Place the cover over the pump.

9. Maintenance: Clean with soft cloth and, at the most, a mild non-abrasive cleanser. Wax with either a paste wax or Pledge (or equal). If the pump dies you may have to remove the fountain from the wall (see 4 above) to replace it because of the electric supply. So keep these instructions for the future.





NO. 4816 WALL FOUNTAIN WITH LION SPOUT Cast Stone Overall 28"h X 21 1/2"w with a 17" projection.



NO. 1164 WALL FOUNTAIN Cast Stone For use against wall. Shell is 27"wide. Cherub plaque is 19 1/2"w X 16"h. Components may be used separately.

> Note: No's. 4816 and 4817, the pump must be located behind wall. If free-standing, consider using pedestal No. 130 to hide the pump.

NO. 4817 WALL FOUNTAIN WITH ROSETTE Cast Stone Overall 28"h X 21 1/2"w with a 17" projection.

R ecirculating pumps can be located in most wall fountains within the shell area and are not included in the price.





NO. 291 FROG WALL FOUNTAIN Lead 26"h X 19"w X 8"projection Wall fountain with pump pocket using plaque No. 291 and bowl No. 4583.

Available in Bronze. 14 1/4"W x 17 3/8"H x 3 3/4" proj



NO. 4789 WALL FOUNTAIN SPILLWAY Lead, 16"h Used as a recirculating spillway to a larger pool below. It is similar to our No. 4548. Has a very shallow projection. Available in Bronze.



Some of the selfcontained Lead wall fountains may be modified to overflow into a lower pool, for an additional charge.



NO. 4548 WALL FOUNTAIN Lead 16"w X 16"h Available in Bronze.

> NO. 4790 WALL FOUNTAIN SPILLWAY Lead, 22"h X 28"w This spillway is for water to flow into a larger pool below which can function from a recirculating pump located in the pool. Available in Bronze.

Kenneth Lynch & Sons

NO. 2062 WALL DOLPHINS WITH TWISTED TAILS Lead, 18 1/2"h X 17"w English reproduction. Piped. Available in Bronze.

NO. 2062A DOLPHIN FOUNTAIN WITH NO. 2136 BOWL Lead Overall is <u>39"h</u> 41" High Available in Bronze.



NO. 2062B DOLPHIN FOUNTAIN WITH NO. 2414 BOWL Lead 18"d Projection is 15"d X 30"w 39" Backplate 28"h X 24"w, Overall height is 44". Built in pumpcase. Available in Bronze. NO. 4665 WALL FOUNTAIN Lead, 19"w Self-contained recirculating fountain. Available in Bronze. 27" H





NO. 4791 DOLPHIN WALL FOUNTAIN Lead 39"h X 33"w, 9"projection Available in Bronze.



NO. 2928 LEAD & WROUGHT IRON WALL FOUNTAIN Lead, 24"w X 46"h Recirculating pump is in lower shell. Water spouts from upper shell. NO. 4748 RAM'S HEAD WALL FOUNTAIN Lead, 26"h overall. The shell is our No.4584. The Ram's Head is No.2071 and is 11" X 16". The bowl itself is 27" wide with a 12" projection. It can hold a recirculating pump.



NO. 2930A SEAHORSE WALL FOUNTAIN Lead 9" Projection 18" W x 8" deep x 33" high 180lbs



208

Some of the selfcontained Lead wall fountains may be modified to overflow into a lower pool, for an additional charge.

NO. 1253A WALL FOUNTAIN WITH NO. 2644 GARDEN FIGURE Lead, 40"h X 23"w with backplate. A very attractive fountain. Any figure can be placed on this corbel. A recirculating pump can be used.



NO. 2929B WALL FOUNTAIN Lead 4"8"h X 31"w Lead wall fountain incorporating No. 2105 Lion mask in Bronze with No.2133 wall bowls and lower bowl No. 2136.


KENNETH LYNCH & SONS

WALL FOUNTAINS



NO. 1253 WALL FOUNTAIN WITH NO. 972 OTTER GIRL

Lead, 40"h X 23"w with backplate. A very attractive fountain. The Otter Girl which is shown is used only to illustrate the use of this wall fountain and its built in corbel. Any figure can be placed on this corbel. A recirculating pump can be used.



NO. 2930 FROG WALL FOUNTAIN Lead 18"w X 36"h Available in Bronze.



NO. 2918 WALL FOUNTAIN Lead 19"w X 20"h Recirculating pump is located in shell; water can come from jet near fiddle.



NO. 2931 TRADITIONAL WALL FOUNTAIN Lead 35 1/2"h X 19"w Available in Bronze.


> Some of the selfcontained Lead wall fountains may be modified to overflow into a lower pool, for an additional charge.



NO. 2929 WALL FOUNTAIN Lead 4'8"h X 31"w Designed to receive a figure of your choice. May take a figure 24" to 30" high. Available in Bronze.



NO. 2373 WALL FOUNTAIN Lead 25"h X 15"w Available in Bronze.



KENNETH LYNCH & SONS

WALL FOUNTAINS






NO. 2101 SEAHORSE WALL FOUNTAIN

Lead 15"h X 12 1/2"w Available in Bronze.

NO. 4743 WALL FOUNTAIN WITH NO. 2025 DOLPHIN

No. 2164 Dolphin 17"h No. 1628 Wall Bowl 18"w

The special lead spillway, 36" supported by an additionally available bracket or shelf created by your contractor, can be placed directly above a pool. Depending on overall size, different components may be suggested. Can be made without spillway. Available in Bronze.



NO. 4859 WALL FOUNTAIN Lead, 27"w Lead wall bowl using a shell as a jet. It can recirculate within itself as shown on the special sectional drawing accompanying it. Available in Bronze.



NO. 4859JS CLAM JET SPOUT Lead 6 1/2"h X 6"w



FOUNTAIN SHELLS



MASK

30" BOWL

44" BOWL

60" BOWL

ANCHORS (CAST IN HEAD

8" TYPICAI

6

WATER IN & OUT PIPES

CROSS SECTION:

BOWL BUILT INTO WALL

THIS IS THE PREFERRED INSTALLATION

PROPOSED WALL

THREADED ROD ANCHOR 1/2 - 13 STAINLESS STEEL

> PIPING TO FOUNTAIN BY OTHERS


VALVES MANIFOLD PUMP



NO. 1001 WALL BOWL

Cast Stone

60"w X 30" projection, Back 7"thick 14 1/2" H In the accompanying photograph, the beautiful assembly designed by Nelson Breed, AIA. At the very bottom is a basin made from our No.275 curbing. Directly above this is No.1001 wall bowl which has a built in counter balance in the wall. Directly above this is our Lead rosette which spills water into the basin and in turn into the pool below. Above the rosette is a cast stone wall capping using No. 692 pineapples on either side.




CROSS SECTION: Bowl Attached to Wall



NO. 4815 BOWL, INCLUDING CORBEL

Cast Stone Available in three sizes: 30"w, 44"w and 60"w Used for cascade wall fountains. *Note: see photo example at the top of page 213*




NO. 2047 SHELL Cast Stone, 36"w 36" projection 35" Wide x 11 1/2" H

NO. 4818L BOWL Cast Stone 19"W X 14 1/2" projection NO. 2047 SHELL Cast Stone, 60"w 57" Projection 17"H



NO. 2047 SHELL Cast Stone Available in 29"w, 36"w, 48"w, or 60"w







NO. 2047 SHELL Cast Stone, 29"w

SHELLS





NO. 2048 SHELL Cast Stone 8"h X 21"diameter

NO. 2048 & NO. 2049 IN COMBINATION



NO. 2049 SHELL Cast Stone 24"h X 36"w Base 15" x 15". Stone only




NO. 37 SHELL Cast Stone 8"h X 28"diameter Can not be used to overflow into a pool.



NO 131 SHELL Cast Stone Available in two sizes: 26"w; approximate weight: 280lbs. & 36"w; approximate weight: 400lbs. Pump pocket 7 1/2" X 10"



NO.1006 SHELL Cast Stone 29"w X 24" deep X 13"h





NO. 2007 SHELL BOWL 36" Can be used as a Birdbath.

NO. 2007 SHELL BOWL Lead 28" and 36" wide, both 25" projection. Can be used as bird bath. May be modified to use as self contained fountain or to spill into pool below. Can be made wider on special order. Available in Bronze.



NO. 2007 SHELL BOWL 28" Can be used as a Birdbath.



NO. 2102 SHELL Lead Available in three sizes: 15", 21", and 26" diameter. Serves many purposes in and around garden, mainly as bird feeder or bird bath. Available in Bronze.



Contraction of the second seco

NO. 2106A ROUND BASIN

Available in two sizes: 15"diameter and 25"diameter.


Available in Bronze.

Lead

NO. 2148 SHELL Lead 23 1/2"w Can be used as birdbath. Available in Bronze.



NO. 2335A WALL BOWL Lead 18"w X 8"deep, 9"projection Will take recirculating pump. Available in Bronze. NO. 2134 ROUND BASIN Lead 30"diameter Available in Bronze.





NO. 1628 WALL BOWL Lead 24"w X 12" projection Only this size is standard. Additional sizes are available upon request and are handhammered. Additional water fill also available upon request. Available in Bronze.



NO. 2334A WALL BOWL Lead 19"w X 5 1/2"h,with an 8" projection Small member can be added underneath to accommodate recirculating pump. Additional water fill available upon request. Available in Bronze.



Lead 31"w X 8"h X 9" projection Additional water fill available upon request. Available in Bronze.

NO. 2136 WALL BOWL



NO. 2414 WALL BOWL Lead Available in four sizes: 16"w X 8" projection 9 1/4" projection 20"w X 12 1/2" projection 24"w X 15 1/2" projection 30"w X 18" projection Additional water fill available upon request. Available in Bronze.



NO. 4583 WALL SHELL Lead 19"w X 8"projection Pump pocket. Additional water fill available upon request. Available in Bronze.



NO. 2135 WALL SHELL Lead, 27"w 12 1/2" projection Additional water fill available upon request. Available in Cast Stone or Bronze.



NO. 4584 WALL SHELL WITH PUMP POCKET Lead 27"w X 12"projection Pump pocket. Additional water fill available upon request. Available in Bronze.

INSTRUCTIONS

GENERAL INSTRUCTIONS FOR TIERED FOUNTAINS WITH CURBING

1. PRECAUTIONS

Unpack all boxes carefully. Smaller fountain components may be packed separately within a larger container, especially copper armature. These are made to fit your fountain exclusively and are hard for us to duplicate off site. Do not discard packaging materials until all items on packing list are accounted for. While removing fountain components from packaging be attentive of fragile corners and edges. Do not let cast stone come in contact with grease, oils, coffee, etc.

2. TOOLS REQUIRED

A mason and a helper will be required. For heavy components a fork lift or crane as necessary is handy. A 4 1/2" grinder with masonry wheel, a selection of trowels, typical mason tools as well as sandpaper, very coarse steel wool and a 4' level, throw away brushes, soldering wire, flux and torch and non-shrink grout. Plastic shims are provided for raising pool curbing and leveling fountain components. You can also make your own wedges following instructions under pool curbing. Finishing mix is provided to cover the grouted joints, in order to assure an even color throughout.

3. ASSEMBLY REQUIREMENTS

Level each piece individually before continuing to next component. Curbing pieces should be raised off floor by 1/2" (using shims provided or your own wedges) and placed 1/2" from adjoining piece. Fountain components should be separated 3/8" minimum to allow room for grouting but not more than 3/4". For heavy components use the plastic shims provided and make sure they are "in column" as you build the fountain, especially below and above the pumpcase.

The best way to level fountain bowls is to fill with water and look for an even drip all around. For most of our products this is the only recommended way. While assembling, pay close attention to the fountain as a whole before continuing to the next level. Plumbing should be centered and any design elements should be lined up from bowl to bowl and pedestal to pedestal.

Copper and Bronze armature (piping) come partially assembled for the ease of installation; they must be soldered on site. The pipe and copper sizes used are normally available materials from any plumbing supply house. Fountain components are grouted together only after completing the building of the fountain.

4. SPECIFIC INSTRUCTIONS

• Set pumpcase, please note that the pumpcase door remains free - Do not grout!

- Set bottom pedestal, making sure it is level and steady.
- Set bottom bowl, check level with water.

• Attach bronze vertical pipes to top and bottom of largest bronze and copper armature. (This assembly will connect directly to the pump and next armature.) Insert this assembly through the bowl, pedestal and pumpcase, making sure that the copper arms fall into the slots in the bowl island and the top bronze pipe protrudes above bowl. Solder copper arms to bronze cross.

• Place next pedestal and bowl over protruding bronze pipe.

• Remove copper arms from bronze cross that corresponds to next bowl, screw bronze cross to protruding bronze pipe, making sure that the copper arms will connect through the slots in bowl island. Solder copper arms in place.

• Screw bronze vertical pipe to armature. Place next pedestal and bowl over protruding pipe.

• Set the rest of the bowls and pedestals in the same manner as above, making sure to solder all parts securely.

• Fountain finial may sit upon an adapter, which is designed to cover the copper armature in top bowl. Finial usually has a female adapter in the bottom, the top armature and the finial will connect with a pipe nipple.





EXAMPLES

Examples of some our more popular type fountains.

Below center, is No. 275 Curbing with No. 1248 Bowl with pedestal and Pumpcase and No. 2893 Madonna figure. At left, craftsmen fashion the components of a floor fountain. Below left, All Lead wall fountains are rigorously tested during construction to maintain our high standards



This beautiful atrium Fountain is a Sean Miller design for Milton Glaser, for the Stony Point office building in Richmond, Virginia...