



1939 NEW YORK WORLD'S FAIR



extensively at the 1939 World's Fair in New York. Unbreakable ductile iron legs, wood slat seat. Can be bolted down. This extremely comfortable bench is

general use in New York's City Parks as well as on Pier 7 in San Francisco and many other public and private parks and gardens.

NO. 466 GAME TABLE (SEE BELOW)

NO. 6732 NEW YORK WORLD'S FAIR **GAME TABLE**

32" square.

Companion to the 1939 New York World's Fair bench. Note this sample does not have a checkerboard surface. This is an adaptation of the original design of bench for this World's Fair. Made with fabricated cast ductile iron legs and concrete top with terrazzo playing surface.



Note: Special bench leg is available.




NO. 466A GAME TABLE

Cast Stone

Well reinforced for permanent installation in concrete.

Top is 2'6" square with terrazo playing surface. No. 466A has 4" pipe leg. It can also have a 12"square plate welded at the bottom for surface mounting.



bench to a romantic 20th century design.

Unbreakable ductile iron legs, wood slat





Note: Arm inserts are available for the original manufacture or refit of benches.




NO. 6734 WORLD'S FAIR PICNIC TABLE.

Modeled after the famous 1939 New York World's Fair Bench. This piece is shown with No. 6738 backless bench. Because this combination did not work well, we are now suggesting that No. 6738 (see pg.416) be used instead. At some point a flat top version of the 6736 may be introduced. 3'w X 7'1 x 30"h.

1939 NEW YORK WORLD'S FAIR







NO. 6737D 1939 NEW YORK WORLD'S FAIR SINGLE LEG BENCH.

Iron Available in 4', 5', 6' & 8' lengths.

NO. 6730 1964 WORLD'S FAIR PICNIC TABLE (ALSO KNOWN AS THE FLUSHING MEADOWS CORONA PARK PICNIC TABLE) 36"w X 84"l.

This is an adaptation of the original design of bench for this World's Fair. Made with fabricated steel legs and 2 x 6 plank top of IPE wood.

1964 NEW YORK WORLD'S FAIR



NO. 6733 1964 WORLD'S FAIR BENCH

legs and wood slats.

(ALSO KNOWN AS THE FLUSHING MEADOWS CORONA PARK BENCH)
Available in 4', 6' & 8' lengths.
Introduced at the 1964 New York World's Fair. The original had cast aluminum legs and fiberglass channel seat slats. Now manufactured with galvanized ductile iron



NO. 6730G 1964 WORLD'S FAIR GAME TABLE

(ALSO KNOWN AS THE FLUSHING MEADOWS CORONA PARK GAME TABLE) 32" square.

Companion to the 1964 New York World's Fair bench. Note this sample has a checkerboard surface.

This is an adaptation of the original design of bench for this World's Fair. Made with fabricated steel legs and concrete top with terrazzo playing surface.



NO. 6731 1964 WORLD'S FAIR BACKLESS BENCH

(ALSO KNOWN AS THE FLUSHING MEADOWS CORONA PARK BACKLESS BENCH)

Available in five sizes: 4', 5', 6', 7', & 8'lengths

This is an adaptation of the original design introduced at the 1964 New York World's Fair. Manufactured with galvanized ductile iron legs and wood slats.





NO. 3339 WASHINGTON SQUARE BENCH

Available in 4', 5', 6', and 8' lengths. Bench is designed for installation where feet bolt below grade level. Unbreakable ductile iron legs. Designed to use 1" x 4" bench slats.

NO. 3339A WASHINGTON **SQUARE BENCH** (NEW YORK CITY)

Available in 4', 5', 6', and 8' lengths. Bench is designed for installation where feet bolt on grade level. Unbreakable ductile iron legs. Designed to use regular 1 1/4" x 2 1/2" bench slats.



NO. 3339B BACKLESS WASHINGTON SQUARE BENCH

Available in 4', 5', 6', and 8' lengths.

This backless version is designed for installation where feet bolt on grade level. Unbreakable ductile iron legs. Designed to use 1 1/4" x 2 1/2" bench slats.


NEW YORK BENCHES





NO. 6740 HERMAN
PARK BENCH
Available in 4', 5', 6',
and 8' lengths.
Designed by The Olin
Partnership for Hermann
Park in Houston, Texas.
A rugged, clean and
dynamic design. Easy to
assemble.





NO. 6739 HOOF BENCH

Available in 4', 5', 6', and 8' lengths.

First introduced in New York City in the mid to late 1800's. This bench has cast iron armrests and feet and uses 3/4" diameter steel bars as legs. There is a unique cast "Hub" joining the parts of the legs together and providing a place for the tie rods to anchor. As shown above, the bench is anchored by a rod that is located in the center of the foot. It fits into a 1 1/4" hole drilled into the pavement below the bench and is secured in place with non-shrink grout. There is an alternate fastening available, so that the bench can be simply bolted down.



NO. 6735 CENTRAL PARK SETTEE

Available in 4', 5', 6', and 8' lengths. This bench was originally introduced into New York's Central Park in 1858 when the park was first opened. They came into disuse toward the end of the 19th Century and were re-introduced in 1994. Manufactured with unbreakable ductile iron legs, wood slat seats. Can be bolted down. Wood painted Central Park Green or can be left unpainted.



NO. 6738 BACKLESS BENCH WITH UNBREAKABLE DUCTILE IRON LEGS AND WOOD SLATS.

Backless only, available in 4', 5', 6', and 8' lengths.. This bench can be made either with our regular 1 1/4" x 2 1/2" wood slats or with 2" x 6" wood slats. Available with or without arms and can be anchored down. Suitable for public park use. Priced without arms, additional price for arms on a per arm basis. Good companion bench for No.6734 World's Fair Picnic Table.



Note: now made without ornament at center of the tie rod.







NO. 1304 ORNAMENTAL BENCH

Cast Stone 47"l X 17"h X12 1/2"w Highly ornamental design and very strong because it is built up in the center like a beam, with scrolls under the top slab.



NO. 1762 MOROCCAN BENCH

Cast Stone

6'l X 18"w X 17"h

This bench is very heavy. Its weight is approximately 900 lbs.

STONE BENCHES





NO. 108 CURVED BENCH

Cast Stone

Available in two sizes: Bench is 4'5"l & 5'1 1/2"l, Curved

Note the T-shaped Irish safety legs. It will not topple. See drawings for details.








NO. 108 STRAIGHT BENCH Cast Stone Available in two sizes: Bench is 4'1 & 5'1 1/2"l.





NO. 1100 CURVED BENCH

Cast Stone, 4'11"1


Bench curved and highly ornamental.

Please note: Benches No. 1100 and No.1101 can use either leg style for the curved or straight top.



Cast Stone, 60"l Bench is furnished straight only.





STONE BENCHES



11'-5' OUTS DE RADIUS

28'-5'-7'
6' 5'
9'-8' INSIDE RADIUS

472 - CURVED BENCH
SEAT PLAN

22'-10' OUTSIDE DIAMETER
19'-4' INSIDE DIAMETER

NO. 472 LIBRARY BENCH

Cast Stone 6' 5"1 X 21"w X 18"h. Leg 12"w. Also available curved (shown). 9'8" inside radius, 74"1 X 18"w.




NO. 472A LIBRARY BENCH

Cast Stone
With more delicate legs: 7"w.
Same dimensions as No. 472.



NO. 480 STRAIGHT BENCH

Cast Stone
This extremely sturdy bench is offered in 4', 5', or 6' lengths.





NO. 482 CAST STONE BENCH


Cast Stone

Available in 4', 5' & 6' lengths.


This bench has extra strong detail and would look attractive in any garden. The top is specially reinforced. Also furnished curved. See drawing for details and dimensions.







Cast Stone 66"l X 18"h. 40" inside radius. 4" thick top. Curved Bench with Egg & Dart Molding.






NO. 3231 RELIEVED CORNER BENCH Cast Stone. 66" inside radius, 62"l X 15 1/2"w Curved Bench with relieved corners.



Cast Stone, 3' x 8'
Designed for seating from both sides,
or can be made any reasonable size to suit.




NO. 936 STRAIGHT BENCH Cast Stone Available in three sizes: 4', 5', & 6' long. Straight only.

BENCHES & TABLES



NO. 474 BENCH

Cast Stone
Very rugged bench reinforced with steel
and made in 4' units only.
They look very well in groups.






NO. 1285 JAPANESE GARDEN SEAT

36"l X 18"w X 16"h. Garden seat of Japanese design.



NO. 782 COCKTAIL TABLE Cast Stone 16"h X 15"w X 15"diameter



NO. 4861 STRAIGHT BENCH

Cast Stone 16"h X 20"w X 6'l Note the Irish safety legs.

NO. 1141 PINEAPPLE TABLE

Cast Stone, 32"h
Top 30" diameter
Bottom 15" diameter
The table top and lamb's tongue edge are sanded to
expose the limestone aggregate that we use in our


expose the limestone aggregate that we use in our Cast Stone products. See No. 1774 Leaf Pedestal as an alternative base for this table top. Although the base is shorter, an adaptor can be placed underneath to raise it to the correct height.







NO. 146 GARDEN SEAT FIGURE Cast Stone, 16"h





NO. 4697 PILLOW SEAT

Cast Stone
16"w X 21"l x 14"h




NO. 1145 ELEPHANT GARDEN SEAT FACING LEFT Cast Stone, 20"h Base 10" X 14"





WROUGHT IRON BENCHES



NO. 3783A HARNESS DRIVING BENCH

Wrought Iron, 60"l Wrought iron bench with all brass decoration. Very beautifully modeled, with wood seats.

NO. 3795 BRASS HORSESHOE & WHIP BENCH

Wrought Iron 20" wide at seat, 22" overall. Wrought iron arm chair, brass horseshoe and whip, made of generous proportions.





NO. 3783 FOX HUNT BENCH


Wrought Iron/Brass, 60"l

This extremely ornate wrought iron and brass bench designed by Mr. Teddy Tiffin about 1910. Wood seat, brass parts polished and lacquered, iron is painted black or Central Park green. This is a most desirable and beautiful bench.

NOTE:

These wrought iron and brass furniture pieces are entirely hand-made and are made to order only. Usually the delivery time is 90 days, so the customer must be patient. They are nicely made and have an elegant look.





NO. 1557 IRON BENCH


Wrought Iron, 48"1
Decorated with Bronze pinecones and stars.
Bench generally painted Central Park green, white or black.
We do not furnish cushions.



NO. 2724 IRON BENCH


Wrought Iron
Available in 4', 5' and 6' lengths.
Painted white, black or Central Park green.
A truly handsome hand wrought iron bench.

WROUGHT IRON BENCHES




NO. 3359 ROUND THE TREE BENCH

Wrought iron round-the-planter bench with what appears to be individual seats. The planter is 30" x 30" square x 20" high and is arranged to be permanently installed. The planter itself supports the back of the bench. The overall diameter is 62". It is made entirely of unbreakable wrought iron. It is finished in either Central Park green, black or white.



NO. 3360 ROUND THE TREE BENCH


Circular round-the-planter bench is 62" in diameter. The planter is installed permanently in the center of the bench and the back of the bench rests on the corners of the planter. The overall diameter is 62" and it is made completely of wrought iron. It is finished in either Central Park green, black or white.



NO. 3361 ROUND THE TREE BENCH

Square round-the-planter bench with a planter perfectly installed in the center.


The planter acts as the back support. Furnished in either Central Park green, black or white. It is 5' - 2" square.



NO. 3362 ROUND THE TREE BENCH

Wrought iron round-the-planter bench furnished in either Central Park green, black or white. The planter acts as a support for the bench. The under-rail can be redesigned for the convenience of cleaning . The overall diameter is 5' to 6' or as necessary for the size of the tree.






NO. 3233 ROUND THE TREE BENCH


Diameter overall 5'.


Wrought iron bench made in sections to go around trees. This classic design of the back and leg stretchers are much desired.



NO. 2725 ROUND THE TREE BENCH

Furnished in all diameters up to and including 12'. Wrought iron bench to go around a tree. The seat part is 17" front to back. The seat and back are made of round iron. Generally, the opening for the tree is not less than 2', so a minimum bench would be 5' in diameter.







NO 3261 ROUND THE TREE BENCH

Diameters up to 12'.

Wrought iron bench of classic design. It is made of round iron. Note that this design is made in segments to fit together. This is the least expensive of "round-the-tree benches of large dimensions. It is 5' diameter overall and, of course, can be made larger.





431